

# P 2012 Agenda for the Reference Committee on Health of the Public and Science

National Conference of Special Constituencies—Sheraton Kansas City Hotel at Crown Center

Item No.	Resolution Title
1. Resolution No. 3002	Addressing the Invisible Wounds Of War
2. Resolution No. 3003	Addressing the Obesity Epidemic
3. Resolution No. 3004	Backpack Safety in Children
4. Resolution No. 3005	To Increase Bone Marrow Registries for Minority Populations
5. Resolution No. 3006	Update on HIV Screening
6. Resolution No. 3010	The Great Salt Shake Up: Clarity In Nutrition Labeling
7. Resolution No. 3011	Family Physician Participation in Under and Uninsured Medical Programs
8. Resolution No. 3007	Increased Targeted HIV Screening for Men Who Have Sex with Men (MSM)
9. Resolution No. 3008	Evidence Based Screening for Blood Donation
10. Resolution No. 3009	Helmets During Tornado Alerts
11. Resolution No. 3001	Certified Medical Examiner Training and Certification Testing



41

#### Resolution No. 3002

2012 National Conference of Special Constituencies—Sheraton Kansas City Hotel at Crown Center

1 Addressing the Invisible Wounds Of War 2 3 Submitted by: Evelyn L. Lewis&Clark, MD, MA, FAAFP, Minority 4 Tess Garcia, MD, FAAFP, Minority 5 Joseph Perez, MD, FAAFP, Minority 6 7 WHEREAS, Operation Enduring Freedom and Operation Iraqi Freedom (OEF/OIF) has seen 8 the deployment of over 2 million US troops, many with multiple deployments, since October 9 2001, and 10 11 WHEREAS, conservatively speaking, this means approximately 75 million individuals or 25% of 12 the United States population are directly impacted by the injuries referred to as the "Invisible 13 Wounds of War," and 14 15 WHEREAS, with the recent ending of the Iraq war, our health care system (military, veteran, 16 and civilian), it is now recognized that the psychological toll of these deployments outweighs the 17 physical injuries resulting from combat, and 18 19 WHEREAS, the American Academy of Family Physicians and dozens of other medical 20 associations and 130 medical schools are partnering in the White House's Joining Forces 21 initiative to help physicians meet the unique health care needs of service members, veterans 22 and their families, and 23 24 WHEREAS, under the initiative, the physician organizations and medical schools are charged to 25 provide educational and research opportunities that advance the diagnosis and treatment of post-traumatic stress disorder, traumatic brain injuries and post-combat depression, and 26 27 28 WHEREAS, the 2008 RAND Corporation report, recommended the need for specific training, 29 now, therefore, be it 30 31 RESOLVED, That the American Academy of Family Physicians (AAFP) urge its members to 32 acquire training and provide in their practice medical care specifically related to trauma and 33 military mental and behavioral health concerns, and be it further 34 35 RESOLVED, That the American Academy of Family Physicians (AAFP) advocate for inclusion 36 in the current certification process a mechanism to demonstrate the clinical qualifications and 37 requisite knowledge of unique military culture and issues relevant to service members and veterans, and be it further 38 39 40 RESOLVED, That the American Academy of Family Physicians (AAFP) explore providing an

5/3/2012 Page 1 of 1

appropriate CME curriculum and certificate for excellence in military medicine.



2012 National Conference of Special Constituencies—Sheraton Kansas City Hotel at Crown Center

1 2	Addressing the Obesity Epidemic
3 4	Submitted by: Geetha Ambalavanan, MD, Minority Tess Garcia, MD, FAAFP, Minority
5 6 7	WHEREAS, Obesity has been identified as one of the major challenges to the medical community and
8 9 10	WHEREAS, obesity is one of the greatest modifiable health risks that the country faces, and
11 12 13	WHEREAS, obesity is a major contributor to health care costs by the complications it adds to other disease processes and by its own morbidity and mortality, now, therefore, be it
14 15 16 17	RESOLVED, That the American Academy of Family Physicians (AAFP) encourage family physicians and their practice teams to serve as positive role models for healthy lifestyle choices, and be it further
18 19 20	RESOLVED, That the American Academy of Family Physicians (AAFP) encourage family physicians to provide their patients with access to available resources (on-line and print) to help them make healthy lifestyle choices.



Backpack Safety in Children

1

#### Resolution No. 3004

2012 National Conference of Special Constituencies—Sheraton Kansas City Hotel at Crown Center

2 3 Submitted by: Jocelyn Hines, MD, Minority 4 Nicole Davis, MD, FAAFP, Minority 5 S. Gail Martin, MD, Minority 6 7 WHEREAS, Overweight backpacks can cause strain on necks, back and shoulders, as well as 8 potentially poor posture, especially in children, and 9 10 WHEREAS, backpacks are a popular and practical method used to carry school books, 11 instruments, laptops and a myriad of school supplies, and 12 13 WHEREAS, the American Academy of Orthopedic Surgeons, the American Physical Therapy 14 Association and the American Academy of Pediatricians have set guidelines regarding 15 backpacks to avoid back injury to children, and 16 17 WHEREAS, wide padded two shoulder strapped, lightweight, waist strapped backpacks have been found to be safest, now, therefore, be it 18 19 20 RESOLVED, That the American Academy of Family Physicians (AAFP) recommend children 21 not carry over the shoulder backpacks greater than 15% of their body weight, and be it further 22 23 RESOLVED, That the American Academy of Family Physicians (AAFP) place information about 24 backpack safety on the Familydoctor.org website. 25 26 1. AAP Grand Rounds VOI.18 Num.1 July 2007 pgs. 10-11 "Backpack Weight: How Heavy 27 is Safe" 2. Kids and backpacks. American Academy of Orthopaedic Surgeons website. 28 29 http://orthoinfo.aaos.org/fact/thr%5Freport.cfm?Thread%5FID=105&topcategory=Spine. 30 3. UCSD researchers report results of children's backpack study. University of California, San Diego Medical Center website. Available at: 31 32 http://health.ucsd.edu/news/2005/12%5F05%5FMacias.htm 4. "Tips to Prevent back pain from Kid's Backpacks" John J. Triano PhD 33



2012 National Conference of Special Constituencies—Sheraton Kansas City Hotel at Crown Center

1 2	To Increase Bone Marrow Registries for Minority Populations
3 4 5	Submitted by: Beena Nagappala, MD, MOH, Minority Tess Garcia, MD, FAAFP, Minority
6 7 8 9	WHEREAS, The National Marrow Donor Program consists of 75% Caucasians and lacks minority donors on its registry programs, especially among Latino, African American and Asian populations, and
10 11 12	WHEREAS, there is lack of knowledge among the minority population about the existence and importance of the bone marrow registry, and
13 14 15	WHEREAS, there are funds available through the National Marrow Donor Program to educate the group on the registry, now, therefore, be it
16 17 18 19	RESOLVED, That the American Academy of Family Physicians (AAFP) contact the National Bone Marrow registry and utilize its funds to evaluate how best to disseminate information regarding the need for minorities to be on the registry, and be it further
20 21 22	RESOLVED, That the American Academy of Family Physicians (AAFP) join the National Marrow Donor Program for the development of a campaign to increase the number of minority bone marrow donors.



Update on HIV Screening

1

#### Resolution No. 3006

2012 National Conference of Special Constituencies—Sheraton Kansas City Hotel at Crown Center

2 3 Submitted by: Marie-Elzabeth Ramas, MD, Minority 4 Susan Saucedo, MD, Gemera; Registrant 5 Flora Sadri-Azarbayejani, DO, FAAFP, GLBT 6 Jose Tiburcio, MD, Minority 7 8 WHEREAS, Despite recommendations set forth in 2010 by the Centers for Disease Control 9 (CDC) to routinely screen for human immunodeficiency virus (HIV) all individuals between the 10 ages of 13 and 64, the rate of infection still rises, and 11 WHEREAS, according to the American Academy of Family Physicians (AAFP) guidelines the 12 13 AAFP strongly recommends that physicians screen for HIV all adolescents and adults at 14 increased risk for HIV infection (2005), and 15 16 WHEREAS, per CDC statistics in 2009 indicated that although African Americans represented 17 14% of the total United States population, they accounted for 44% of all new HIV infections, and 18 19 WHEREAS, according to the New England Journal of Medicine (NEJM) "Cost-effectiveness of 20 Screening for HIV in the Era of Highly Active Antiretroviral Therapy," the cost-effectiveness of 21 routine HIV screening in health care settings, even in relatively low-prevalence populations, is 22 similar to that of commonly accepted interventions and such programs should be expanded, and 23 24 WHEREAS, according to CDC 2009 statistics, although the annual number of new HIV 25 infections was stable overall during 2006 to 2009, there was an estimated 21% increase in HIV 26 incidence for people aged 13-29 years, driven by a 34% increase in young men who have sex 27 with men (MSM), and 28 29 WHEREAS, among MSM ages 13 to 29, HIV incidence among black/African American MSM 30 increased by 485 from 2006 through 2009, now, therefore, be it 31 32 RESOLVED, That the American Academy of Family Physicians (AAFP) strongly recommends 33 that physicians screen for human immunodeficiency virus (HIV) all individuals between 13 and 34 64 years of age regardless of recognized risk factors, as per CDC 2010 guidelines, and be it 35 further. 36 37 RESOLVED, That the American Academy of Family Physicians (AAFP) make policy that human immunodeficiency virus (HIV) consent be an opt-out process regardless of risk stratification. 38



44

#### Resolution No. 3010

2012 National Conference of Special Constituencies—Sheraton Kansas City Hotel at Crown Center

1 The Great Salt Shake Up: Clarity In Nutrition Labeling 2 3 Submited by: Jessica Triche, MD, New Physicians 4 Tiffany Leonard, MD, New Physicians 5 John C. Cawley, MD, New Physicians 6 Angela Sparks, MD, New Physicians 7 8 WHEREAS, Current nutrition labeling includes "sodium" content of the food, and 9 WHEREAS, the average health literacy level is third to fifth-grade level<sup>1</sup>, and 10 11 12 WHEREAS, sodium is not a layman's term and is not readily understood by many consumers to 13 be equivalent with salt content, and 14 15 WHEREAS, Americans consume an average of more than 3,400 mg of sodium chloride, which 16 about one and one-half teaspoons per day, significantly higher than the daily maximum value of 2,300 mg, which is about one teaspoon, established in 2005 by the Department of Health and 17 Human Services and the Department of Agriculture in Dietary Guidelines for Americans<sup>2</sup>, and 18 19 20 WHEREAS, a study in the Annals of Internal Medicine suggested that following the above 21 dietary guidelines would save \$32 billion in medical costs and avert almost one million 22 myocardial infarctions and strokes over the lifetime of adults aged 45-85, and reducing sodium intake to 1200 mg daily would reduce annual stroke episodes by 32,000-66,000 and myocardial 23 24 infarction episodes by 54,000-99,000 with an estimated annual savings of \$10 to \$24 billion in healthcare savings<sup>3</sup>, now, therefore, be it 25 26 27 RESOLVED. That the American Academy of Family Physicians (AAFP) make a formal 28 recommendation to the Food and Drug Administration (FDA) to modify nutrition labels such that 29 wherever the word "sodium" appears in written format, it will instead read "sodium (salt)." 30 31 32 Sources: 33 1) Falconer, Naudia, et. al. An Analysis of the Readability of Educational Materials on the Consumer Webpage of a Health Professional Organization: Considerations for Practice. The 34 35 Internet Journal of Allied Health Sciences and Practice. Vol 9 No 3 (2011). Available at: 36 http://ijahsp.nova.edu 37 2) IOM Report Urges FDA to Set Standards for Sodium Content: Recommendations Take Aim 38 39 at High Prevalence of Hypertension. AAFP News Now. 4/21/2010. Available at: 40 http://www.aafp.org/online/en/home/publications/news/news-now/health-of-the-41 public/20100421sodium-rpt.html 42 43 3) Frieden TR and Briss PA. We can reduce dietary sodium, save money, and save lives. Ann

5/3/2012 Page 1 of 1

Inter Med. 2010 April 20; 152(8): 526-7, W182. Epub 2010 Mar1



2012 National Conference of Special Constituencies—Sheraton Kansas City Hotel at Crown Center

1 2	Family Physician Participation in Under and Uninsured Medical Programs
3 4 5	Submitted by: Julio Menocal, MD, FAAFP, IMG V. Hema Kumar, MD, FAAFP, IMG
6 7 8	WHEREAS, The ranks of underinsured and uninsured recipients have swelled by about 50% in some parts of the country due to the economic slow-down, and
9 10	WHEREAS, physician participation in the care of this group is low nationwide, and
11 12 13	WHEREAS, access to effective primary care for this group continues to be an obstacle for adequate medical care, and
14 15 16	WHEREAS, family physicians are specially suited to take care of the whole person and the whole family, and
17 18 19	WHEREAS, the percentage of under and uninsured patients has been an average of 16.7%, and
20 21 22	WHEREAS, participation of family physicians in the care of under or uninsured patients is well below 10% of all family physicians, now, therefore be it
23 24 25	RESOLVED, That the American Academy of Family Physicians (AAFP) encourage their members via email, regular mail and other communications to participate in local and state medically underserved programs for at least 7% of their patient population.



2012 National Conference of Special Constituencies—Sheraton Kansas City Hotel at Crown Center

1	Increased Targeted HIV Screening for Men Who Have Sex with Men (MSM)
2	mereased rangeled this ocidening for well with that dex with well (wold)
3	Submitted by: Scott Nass, MD, MPA, GLBT
4	Flora Sadri-Azarbayejani, DO, FAAFP, GLBT
5	
6	WHEREAS, Human immunodeficiency virus (HIV) remains a threat to the public health and
7	carries significant morbidity and mortality despite the development of life-sustaining treatments,
8	and
9	
0	WHEREAS, the American Academy of Family Physicians (AAFP) strongly recommends that
1	physicians screen for HIV in all adolescents and adults at increased risk for HIV infection, and
2	
3	WHEREAS, men who have sex with men (MSM) account for nearly half of the approximately
4	1.2 million people living with HIV in the United States and for more than half of all new HIV
5	infections in the United States each year (2010 data), and
6	WILLIEDEAC while only four paraget of man in the United States are MSM and
7	WHEREAS, while only four percent of men in the United States are MSM, and
8	WHEREAS the rate of new HIV diagnoses among MSM in the United States is more than 44
20	WHEREAS, the rate of new HIV diagnoses among MSM in the United States is more than 44 times that of other men, now, therefore, be it
21	times that of other men, now, therefore, be it
22	RESOLVED, That the American Academy of Family Physicians (AAFP) support increased
23	targeted human immunodeficiency virus (HIV) screening for men who have sex with men (MSM)
24	toward reducing the disproportionate infection rate among MSM.
	to mana readening and dispreparationate amount rate among morni



2012 National Conference of Special Constituencies—Sheraton Kansas City Hotel at Crown Center

1	Evidence Based Screening for Blood Donation
2	
3	Submitted by: Samuel Hanson Willis, MD, GLBT
4	Doug Vacek, DO, GLBT
5	
6	WHEREAS, The American Academy of Family Physicians' (AAFP) Commission on Health of
7	the Public and Science sent a letter to the Federal Drug Administration (FDA) in March 2010
8	requesting that standards set by the FDA for deferral of blood donation for human
9	immunodeficiency virus (HIV) risk be based on current scientific evidence, and
10	
11	WHEREAS, the FDA has taken no action to change their lifetime deferral policy for men who
12	have had sex with men since 1977 so that it is in line with scientific evidence, now, therefore, be
13	it
14	
15	RESOLVED, That the American Academy of Family Physicians (AAFP) request the Food and
16	Drug Administration's Blood Products Advisory Committee and the U.S. Department of Health &
17	Human Services' Advisory Committee on Blood Safety and Availability change the deferral
18	period for blood donation from a permanent deferral to a 12 month deferral for male blood
19	donors who have had sexual contact with another male.



2012 National Conference of Special Constituencies—Sheraton Kansas City Hotel at Crown Center

1	Helmets During Tornado Alerts
2 3	Submitted by: Andrew Goodman, MD, GLBT
4	Werner Brammer, MD, FAAFP, GLBT
5	Laura Ellis, MD, FAAFP, GLBT
6	
7	WHEREAS, Head injuries are the number one cause of death in tornadoes, and
8	
9	WHEREAS, bicycle-style helmets have been shown to reduce the incidence of such head
10	injuries (Safety Helmets: A Practical, Inexpensive Solution for Reducing the Risk of Head
11	Injuries Resulting from Tornadoes, UAB Injury Control Research Center. The University of
12	Alabama at Birmingham M. Scott Crawford, Philip R. Fine, P. Jeff Foster, John W. Waterbor,
13	Gregory G. Davis, & Robert M. Brissie), now, therefore, be it
14	DECOLVED TI (II A : A I (E !I DI :: (AAED)
15	RESOLVED, That the American Academy of Family Physicians (AAFP) support the use of
16	helmets for people in tornado alert areas.



2012 National Conference of Special Constituencies—Sheraton Kansas City Hotel at Crown Center

1 2	Certified Medical Examiner Training and Certification Testing
3 4 5 6	Submitted by: Teresa Lovins, MD, FAAFP, Women Carolyn Forbes, MD, FAAFP, Women Kelly Jones, MD, Women
7 8 9 10	WHEREAS, The Department of Transportation is going to require all providers who complete medical examinations for commercial drivers become Certified Medical Examiners by May 2014, and
11 12 13	WHEREAS, the American Academy of Family Physicians (AAFP) has many member physicians who currently do these examinations who will need to be certified, and
14 15 16	WHEREAS, the AAFP currently creates and supports Continuing Medical Education (CME) for its members, now, therefore, be it
17 18 19 20	RESOLVED, That the American Academy of Family Physicians (AAFP) investigate the educational requirements that will be presented by the Department of Transportation for Certified Medical Examiners and provide an educational opportunity and certification testing as a service to its members.